Date of issue: 09/29/2025 Revised On 09/25/2025

1 Identification of the substance and manufacturer

Trade name: ATHLETIC RED

Other means of identification

SSASR2SD Product code:

Article category

Recommended use: Paint and coatings application.

Any that differs from the recommended use. Uses advised against:

Fox Valley Paint Manufacturer/Supplier: 5A Production Drive Brookfield, CT 06804 phone: 844-627-5255

email: info@foxvalleypaint.com

Emergency telephone number: 1-800-255-3924

2 Hazard(s) identification

Classification of the substance or mixture

Aerosols 1 H222-H229 Extremely flammable aerosol. Pressurized container: may burst if heated.

Causes skin irritation. Skin irritation 2 H315 Carcinogenicity 2 H351 Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure. Specific target organ toxicity (repeated exposure) 2 H373

Additional information: **GHS Hazard pictograms**

GHS02 GHS07 GHS08

Signal word Danger

Hazard statements Extremely flammable aerosol. Pressurized container: may burst if heated.

Causes skin irritation.

Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure.

Precautionary statements Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Do not spray on an open flame or other ignition source.

Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Wear protective gloves.

If on skin: Wash with plenty of water. Specific treatment (see on this label).

IF exposed or concerned: Get medical advice/attention.

Get medical advice/attention if you feel unwell. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Store in a well-ventilated place.

Protect from sunlight. Do not expose to temperatures exceeding 122 °F (50 °C).

Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Chemical Description: This product is a mixture of the substances listed below with nonhazardous additions

Chomical Booonphon.		The product is a mixture of the substances herea below with hormazarasas additions.	
Dangerous components:			
1317-65-3	Calcium Carbonate		10-15%
74-98-6	propane		10-15%
64742-89-8	VM&P Naphtha		5-10%
106-97-8	n-butane		5-10%
142-82-5	heptane		≥5-<10%
64742-47-8	Mineral Spirits		5-10%
1330-20-7	xylene (mix)		1-5%

4 First-aid measures

After inhalation: Supply fresh air; consult doctor in case of complaints.

Remove contaminated clothing. Wash exposed area with soap and water. After skin contact:

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Rinse mouth with water. Do not induce vomiting.

Most important symptoms and

effects: Dizziness

Indication of any immediate medical No further relevant information available. attention needed:

(Contd. on page 2)

Safety Data Sheet

Date of issue: 09/29/2025 Revised On 09/25/2025

Trade name: ATHLETIC RED

(Contd. of page 1)

5 Fire-fighting measures

Extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Special hazards: Can form explosive gas-air mixtures.

Protective equipment for

firefighters: A respiratory protective device may be necessary.

6 Accidental release measures

Personal precautions, protective equipment and emergency

procedures:

Methods and material for

Use respiratory protective device against the effects of fumes/dust/aerosol.

containment and cleaning up: Absorb liquid components with liquid-binding material.

7 Handling and storage

Precautions for safe handling

Use only in well ventilated areas.

Storage requirements:

Keep away from sources of heat and direct sunlight. Do not warehouse in subfreezing conditions.

Store locked up.

8 Exposure controls/personal protection

Components with limit values that require monitoring at the workplace:

74-98-6 propane

PEL (USA) Long-term value: 1800 mg/m³, 1000 ppm REL (USA) Long-term value: 1800 mg/m³, 1000 ppm

TLV (USA) see Appendix F Minimal oxygen content (D, EX)

64742-89-8 VM&P Naphtha

TLV (USA) Long-term value: 100 ppm Skin, A3

106-97-8 n-butane

REL (USA) Long-term value: 1900 mg/m³, 800 ppm TLV (USA) | Short-term value: 2370 mg/m³, 1000 ppm

(EX)

142-82-5 heptane PEL (USA) Long-term value: 2000 mg/m³, 500 ppm

REL (USA) Long-term value: 350 mg/m³, 85 ppm Ceiling limit value: 1800* mg/m³, 440* ppm *15-min

TLV (USA) Short-term value: 400 ppm Long-term value: 200 ppm

ОТО

1330-20-7 xylene (mix)

PEL (USA) Long-term value: 435 mg/m³, 100 ppm REL (USA) Short-term value: 655 mg/m³, 150 ppm Long-term value: 435 mg/m³, 100 ppm

Long-term value: 20 ppm

TLV (USA) BEI, A4

Ingredients with biological limit values:

1330-20-7 xylene (mix)

BEI (USA) 1.5 g/g creatinine Medium: urine

Time: end of shift

Parameter: Methylhippuric acids

Hygienic protection: Wash hands after use.

Do not eat or drink while working.

Breathing equipment: A respirator is generally not necessary when using this product outdoors or in large open areas. In

cases where short and/or long term overexposure exists, a NIOSH approved respirator should be worn. If you suspect overexposure conditions exist, please consult an authority on chemical

hygiene.

Hand protection: Nitrile gloves.

The glove material must be impermeable and resistant to the substance.

Eye protection: Tightly sealed goggles

9 Physical and chemical properties

Physical state Aerosol Odor: Aromatic Odor threshold: Not determined. Melting point/Melting range Undetermined. Boiling point: -44 °C (-47.2 °F)

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet

Date of issue: 09/29/2025 Revised On 09/25/2025

Trade name: ATHLETIC RED

Vapor pressure:

Flammability: Extremely flammable.

Lower Explosion Limit: 1.7 Vol % **Upper Explosion Limit:** 10.9 Vol % -19 °C (-2.2 °F) Flash point: Flammability (solid, gas): Extremely flammable. Decomposition temperature: Not determined. pH-value: Not determined. . Viscosity: Not determined. Solubility: Not determined.

Relative Density: Between 0.77 and 0.85 (Water equals 1.00)

Not determined.

Vapor density Not determined. Particle characteristics Not applicable. Aerosol.

Appearance: **lanition temperature:**

Product is not self-igniting. Danger of explosion: In use, may form flammable/explosive vapour-air mixture.

Water: 30.0 % Not applicable. **Evaporation rate** Partition coefficient: n-octonal/water: Not determined.

10 Stability and reactivity

Reactivity: Stable at normal temperatures.

Conditions to avoid: Do not allow can to exceed 120 degrees Fahrenheit. Do not warehouse in subfreezing

temperatures.

Chemical stability: Not fully evaluated.

Possibility of hazardous reactions: No dangerous reactions known.

Incompatible materials: No further relevant information available. Hazardous decomposition: No dangerous decomposition products known.

11 Toxicological information

LD/LC50 values that are relevant for classification:

1330-20-7 xylene (mix)

Oral LD50 8,700 mg/kg (rat) Dermal LD50 2,000 mg/kg (rabbit) Inhalative LC50/4 h 6,350 mg/l (rat)

Information on toxicological effects: No data available. Skin effects: No irritant effect. Eve effects: No irritating effect.

Sensitization: No sensitizing effects known.

12 Ecological information

Aquatic toxicity: Persistence and degradability: Hazardous for water, do not empty into drains.

The product is degradable after prolonged exposure to natural weathering processes.

This product does not contain any chlorofluorocarbons (CFC's), hydrochlorofluorocarbons (HCFC's), Other information:

perfluorocarbons (PFC's), heavy metals (chromium, lead, cadmium), per and polyfluoroalkyl substances (PFA's), or chlorinated solvents.

Bioaccumulative potential: No further relevant information available.

Mobility in soil: No further relevant information available. Other adverse effects:

Remark: Toxic for fish

13 Disposal considerations

Dispose of in accordance with local, state, and federal regulations. Do not puncture, incinerate, or compact. Partially empty cans must be disposed of responsibly. Do not heat or cut empty containers with electric or gas torches.

Recommendation: Completely empty cans should be recycled.

14 Transport information

UN-Number UN1950 DOT UN1950 DOT DOT

Aerosols, flammable

ADR 1950 Aerosols, ENVIRONMENTALLY HAZARDOUS

Transport hazard class(es):

Class 2.1 Gases

Marine pollutant: Symbol (fish and tree)

Special marking (IATA):

Packaging Group:

Special precautions for user: Warning: Gases

EMS Number: F-D,S-Ŭ

(Contd. on page 4)

D

Ι

Safety Data Sheet

Date of issue: 09/29/2025 Revised On 09/25/2025

Trade name: ATHLETIC RED (Contd. of page 3) **UN "Model Regulation":** UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS 15 Regulatory information SARA Section 355 (extremely hazardous substances): None of the ingredients in this product are listed. SARA Section 313 (Specific toxic chemical listings): 1330-20-7 xylene (mix) **Toxic Substances Control Act** (TSCA): Canadian Domestic Substances List All ingredients are found on the inventory list of substances. (DSL): All ingredients are listed or exempted. Consumer Product Safety Comission (CPSC): This product complies with 16 CFR 1303 and does not contain more than 90 ppm of lead. California Proposition 65 chemicals known to cause cancer: 100-41-4 ethyl benzene 13463-67-7 titanium dioxide Prop 65 chemicals known to cause birth defects or reproductive harm: None of the ingredients is listed.

16 Other information

142-82-5 heptane

1330-20-7 xylene (mix)

Contact: Regulatory Affairs